

81


TENZAR®

Super Strength 1.0 Mil Backing

LOW NOISE

Professional Quality Oxide

Perma ent Lubrication Spl Free Polyester



C923

Scotch







pre-

Mopti - Saugha	(Mali) as
- Color Color	

TIME	RECORDING BOTH DIRECTIONS								
CHART	150 FT. 300 FT. 600 FT.			900 FT. 1200 FT.		1800 FT.	2400 FT.	3600 FT.	
1% IPS	30 min.	1hr.	2 hrs.	3 hrs.	4 hrs.	6 hrs.	8 hrs.	12 hrs.	
3% IPS	15 min.	30 min.	60 min.	1½ hrs.	2 hrs.	3 hrs.	4 hrs.	6 hrs.	
7½ IPS	7½ min.	15 min.	30 min.	45 min.	1 hr.	1½ hrs.	2 hrs.	3 hrs.	



Important Notice to Purchaser — Manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. User shall determine the suitability of the product for his

intended use, and assume all risk and liability in connection therewith.

MINNESOTA MINING & MFG. CO., ST. PAUL, MINN. 55101

THE TERMS "SCOTCH", "TENZAR" AND PLAID DESIGN ARE REGISTERED TRADEMARKS OF THE 3M COMPANY.