

with "Superlife" Coating

recording tape



## DYNARANGE SERIES

STANDARD LENGTH

¼ IN. x 600 FT. (6.35mm x 180m)

SPLICE FREE

5" REEL

SILICONE LUBRICATED

1.5 MIL POLYESTER BACKING





no-occor costals

## RECOLOMBINA

TIME CHART	RECORDING ONE DIRECTION Monophonic Stereophonic 1 Track 2 Tracks			RECORDING BOTH DIRECTIONS Monophonic Stereophonic 2 Tracks 4 Tracks*		
	1 % ips	3% ips	71/2 191	1% ips	3% ipa	71/2 195
600 Ft.	1 hr.	30 min.	15 min.	2 hrs.	1 hr	30 min.
900 Ft.	1% hrs.	45 min.	23 min.	3 hrs.	1½ hrs.	45 min.
1200 Ft.	2 hrs.	1 hr.	30 min.	4 hrs.	2 hrs.	1 hr.
1800 Ft.	3 hrs.	11/2 hrs.	45 min.	6 hrs	3 hrs.	134 hrs.

<sup>\*</sup>Double these times for 4-track monophonic recording.

THE TERM "SCOTCH" AND THE PLAID DESIGN ARE REGISTERED TRADEMARKS OF MINNESOTA MINING AND MANUFACTURING COMPANY, ST. PAUL, MINNESOTA 55119.

TAPE PATENTED UNDER ONE OR MORE U.S. PATENTS: 2654681, 2711901.

NOTICE: The following is made in lieu of all warranties, express or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Seller and manufacturer shall not be liable for any injury, loss or damage, direct or consequential, arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use and user assumes all risk and liability whatsoever in connection therewith. The foregoing may not be changed except by an agreement signed by officers of seller and manufacturer.

Magnetic Products Division 3111

